




FENDWRAP[®]



PROTECTING PERFECTION



Since 1975, Fendwrap has been a trusted name in temporary surface protection. Originally founded by the Pollard family, the brand entered the luxury marine sector in 2013 and quickly became a preferred choice for shipyards, refit teams, and finishers across the globe.

In 2024, Fendwrap joined **Icon Protection EMEA Ltd**, marking a new chapter in its evolution. This strategic integration combines Fendwrap's marine expertise with Icon Protection's broader portfolio of brands — all dedicated to protecting jobsites in the most demanding environments.

Whether you're shielding paintwork, glass, polished metal, furniture, or flooring on board — or applying protection off board in scaffolded or tented zones — Fendwrap delivers a wide range of smart surface protection products, tailored to both environment and application, and engineered to perform when it matters most.

SURFACE PROTECTION



Page 03-14

MASKING PRODUCTS



Page 15-17

YACHT MATTING



Page 18-19

PROTECTION FILMS



Page 20-26



SURFACE PROTECTION

Developed to safeguard high-value finishes during construction, refit, and painting of superyachts and marine vessels, the Fendwrap surface protection range offers multiple solutions for a variety of environments and requirements.

Whether the priority is flame retardancy, breathability, impact resistance, reusability, dust control, or self-adhesion, these are just a few of the features offered across the range. Every product is engineered to perform — helping professionals work with confidence, precision, and peace of mind.



SP400

PROTECTION FLEECE



FEATURES

- **Waterproof** – Blocks moisture ingress to maintain surface condition and prevent damage.
- **Impact-absorbing** – Cushions against dropped tools and other impact to reduce dents, scratches, and abrasions.
- **Self-adhesive** – Stays securely in place without the need for tape, saving time and ensuring coverage.
- **Reusable** – Withstands multiple uses to reduce waste and improve cost efficiency.
- **Made from recycled polyester fibres** – Reduces environmental impact without compromising performance.

Fendwrap SP400 protects surfaces from dirt, moisture, rolling materials, and falling tools during construction, maintenance, and refit. It's designed to protect completely dry, hard surfaces, and is suitable for floors and stairs.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
SP400	1m x 25m	24 Rolls / Pallet



SP410

BREATHABLE PROTECTION FLEECE



FEATURES

- **Vapour-permeable** – Breathable membrane allows moisture to escape from underneath while preventing liquid from penetrating. It protects sensitive finishes and newly laid treated floors.
- **Waterproof** – Blocks moisture ingress to maintain surface condition and prevent damage.
- **Impact-absorbing** – Cushions against dropped tools and other impact to reduce dents, scratches, and abrasions.
- **Self-adhesive** – Stays securely in place without the need for tape, saving time and ensuring coverage.
- **Anti-slip** – Provides stable footing to reduce the risk of slips and falls.

Fendwrap SP410 is engineered for newly laid and treated floors. This self-adhesive, vapour-permeable fleece is ideal for moisture-sensitive surfaces such as ceramic tiles and wooden floors. Also suitable for stairs and hard floors.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
SP410	1m x 25m	24 Rolls / Pallet



SP420

HEAVY DUTY PROTECTION FLEECE



FEATURES

- **Heavy-duty** – Designed for areas that demand enhanced surface protection under challenging conditions.
- **Waterproof** – Blocks moisture ingress to maintain surface condition and prevent damage.
- **Impact-absorbing** – Cushions against dropped tools and other impact to reduce dents, scratches, and abrasions.
- **Self-adhesive** – Stays securely in place without the need for tape, saving time and ensuring coverage.
- **Anti-slip** – Provides stable footing to reduce the risk of slips and falls.

Fendwrap SP420 is a three-layer, self-adhesive protection fleece developed for use on precast and concrete elements in yacht construction environments. Suitable for completely dry, hard surfaces indoors and out.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.




CODE	SIZE	QTY
SP420	1m x 25m	15 Rolls / Pallet



SP430

FLAME RETARDANT PROTECTION FLEECE



FEATURES

- **Flame-retardant** – Certified to EN13501-1 Bfl s-1. It's ideal for confined marine areas where fire safety is critical.
- **Waterproof** – Blocks moisture ingress to maintain surface condition and prevent damage.
- **Impact-absorbing** – Cushions against dropped tools and other impact to reduce dents, scratches, and abrasions.
- **Self-adhesive** – Stays securely in place without the need for tape, saving time and ensuring coverage.
- **Made from recycled polyester fibres** – Reduces environmental impact without compromising performance.
- **Reusable** – Withstands multiple uses to reduce waste and improve cost efficiency.

Fendwrap SP430 is a flame-retardant, self-adhesive fleece designed for completely dry, fully cured hard surfaces, including floors and stairs. It protects against debris, moisture, paint, rolling loads, and tool impact.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
SP430	1m x 25m	24 Rolls / Pallet



SP440


DEFEND PROTECTION FLEECE



MOISTURE
PERMEABLE



PROTECTION
AGAINST
HEAVY LOADS



VIRTUALLY
LINT FREE



REUSABLE



APPROX
4MM THICK

FEATURES

- **Moisture-permeable** – Suitable for use on damp surfaces.
- **Heavy-load-resistant** – Shields against mechanical stress, pressure loads, moving equipment, and debris.
- **Reusable** – Withstands multiple uses to reduce waste and improve cost efficiency.
- **Approx. 4mm thick** – Provides enhanced cushioning and impact resistance.
- **Made from recycled polyester fibres** – Reduces environmental impact without compromising performance.

Fendwrap SP440 is a thick, heavy-duty felt floor covering for demanding construction and refit environments. Moisture-permeable and durable, it's suitable for damp conditions and compatible with nearly all surface types.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.





CODE	SIZE	QTY	THICKNESS
SP440	1m x 25m	6 Rolls / Pallet	Approx. 4mm



SP110 | SP125 | SP140

FLAME RETARDANT SURFACE PROTECTION



FEATURES

- **Flame-retardant** – Certified to NFPA-701 Test Method 2 for safety in confined marine spaces.
- **Leakproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Slip-resistant** – Textured surface provides secure footing on decks, walkways, and work zones.
- **Dust-free** – Minimises airborne particles, essential for clean zones and sensitive finishes.
- **Durable** – Stands up to tools, traffic, and staging.
- **Quick-to-install** – Rolls out fast to reduce prep time.
- **Reusable** – Built for multiple applications, reducing waste and improving cost efficiency.

This range delivers flame-retardant, dust-free, slip-resistant, and reusable protection for hard surfaces. Available in 10mil, 25mil, and 40mil thicknesses. Choose the grade to match the application and environment.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY	THICKNESS
SP110	90cm x 120m	16 Rolls / Pallet	10mil
SP125	90cm x 56m	16 Rolls / Pallet	25mil
SP140	90cm x 36m	16 Rolls / Pallet	40mil



SP100

FLAME RETARDANT JOINTING TAPE



FEATURES

- **Flame-retardant** – NFPA 701 certified. Suitable for use in marine environments.
- **Strong adhesive** – Bonds securely for reliable protection.
- **Flexible backing** – Conforms for fast seaming.
- **Serrated edges** – Tears by hand. No tools needed. Faster application.
- **Liquid-resistant** – Keeps seams dry and surfaces shielded during painting, refit, or repair.
- **Durable** – Built to perform in demanding conditions, from dry dock to onboard use.
- **Compatible** – Works across the Fendwrap range, including FR and non-FR products.

Fendwrap SP100 is a flame-retardant jointing tape designed for marine environments where flame resistance is essential — ideal for welding zones, engine compartments, and refit areas. It's the perfect complement to Fendwrap's surface protection range.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
SP100	48mm x 55m	24 Rolls / Box



SP300

PROTECTION BOARD



WATERPROOF



IMPACT
ABSORBING



FLAME
RETARDANT



REUSABLE



EASY TO CUT

FEATURES

- **Large format** – 2.4m x 1.2m sheets for efficient surface coverage.
- **2mm-thick** – Strong board for reliable protection.
- **Flame-retardant** – Certified to LPS 1207 standards and suitable for marine environments.
- **Lightweight** – Easy to handle, cut, and install.
- **Waterproof** – Shields surfaces from spills and moisture to prevent damage.
- **Impact-resistant** – Absorbs knocks and protects surfaces.
- **Reusable** – Durable enough for multiple uses, reducing waste and improving cost efficiency.

Fendwrap SP300 is a 2mm-thick protection board designed for high-traffic areas aboard superyachts. It covers large surfaces, protects decks, bulkheads, and floors, and meets LPS 1207 flame-retardant standards.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY	THICKNESS
SP300	2.4m x 1.2m	300 Sheets / Pallet	2mm



SP325

PROTECTION BOARD



FEATURES

- **Convenient size** – 2m x 80cm sheets for efficient surface coverage in small or large spaces.
- **2.8mm-thick** – Strong board for reliable protection.
- **Flame-retardant** – Certified to M1 Standards for fire safety.
- **Lightweight** – Easy to handle, cut, and install.
- **Waterproof** – Shields surfaces from spills and moisture to prevent damage.
- **Impact-resistant** – Absorbs knocks and protects surfaces.
- **Reusable** – Durable enough for multiple uses, reducing waste and improving cost efficiency.

Fendwrap SP325 is a 2.8mm-thick flame-retardant board, certified to M1 standards. Engineered for high-traffic environments, its convenient size ensures efficient coverage across diverse surfaces, including floors, teak, bulkheads, and walkways.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.




CODE	SIZE	QTY	THICKNESS
SP325	2m x 80cm	300 Sheets / Pallet	2.8mm



SP350 *FPX*

PROTECTION BOARD



WATERPROOF



IMPACT
ABSORBING



FLAME
RETARDANT



REUSABLE



EASY TO CUT

FEATURES

- **Convenient size** – 2m x 80cm sheets for efficient surface coverage in small or large spaces.
- **5mm-thick** – Rigid board for heavy-duty, durable protection.
- **Flame-retardant** – Certified to M2 Standards for fire safety.
- **Lightweight** – Easy to handle, cut, and install.
- **Waterproof** – Shields surfaces from spills and moisture to prevent damage.
- **Impact-resistant** – Absorbs knocks and protects surfaces.
- **Reusable** – Built for multiple uses, reducing waste and improving cost efficiency.

Fendwrap SP350 FPX is a 5mm-thick flame-retardant board, certified to M2 standards. It delivers robust protection and impact resistance across multiple surfaces, from teak to composite. It's ideal for high-traffic environments.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY	THICKNESS
SP350	2m x 80cm	125 Sheets / Pallet	5mm



SP250

BREATHABLE PROTECTION BOARD



FEATURES

- **Heavy-duty** – Engineered to perform under demanding conditions.
- **Liquid-resistant** – Shields against water, paint, and other contaminants.
- **Breathable** – Enables airflow critical to substrate curing.
- **Wall Guard™ feature** – Scored lines facilitate precise folding to protect floor-to-wall junctions and lower wall sections.
- **FSC® certified** – Recognised mark of responsible forest stewardship.
- **Recycled** – Made from 100% recycled materials for responsible protection.
- **Reusable** – Performs reliably, use after use.
- **Recyclable** – Minimises waste and environmental impact.

Fendwrap SP250 is a heavy-duty, breathable, moisture-blocking protection board for hard floors and curing surfaces. It's FSC® certified, made from recycled materials, fully recyclable, and suitable for demanding environments.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
SP250	94cm x 32m	16 Rolls / Pallet



MASKING PRODUCTS

Fendwrap's masking range begins with two high-performance tapes: one is ideal for internal use, and the other for external applications. Each is engineered for precision masking during painting, spraying, and finishing.

Whether the priority is adhesion, edge sharpness, or clean removal, both products are built to perform. As the range expands, new masking solutions will be introduced to meet a broader set of project requirements — all with the reliability professionals expect.



M100

YELLOW INTERNAL WASHI TAPE



FEATURES

- **Clean lines** – Delivers sharp paint lines for accurate masking results.
- **Low-tack adhesion** – Safe for delicate and high-value finishes.
- **Clean removal** – Lifts away without residue, reducing rework.
- **Conformable** – Adheres to curved or irregular surfaces.
- **Dual-purpose** – Also secures surface protection materials in place.
- **UV-resistant** – Withstands exposure for up to 6 months.
- **Lasting application time** – Performs for up to 12 weeks indoors and 4 weeks outdoors.

Fendwrap M100 Yellow Internal Washi Tape delivers precision masking with sharp lines and no residue. Suitable for sensitive finishes and high-spec environments, it's ideal for shipyards and onboard use where finish quality matters.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.




CODE	SIZE	QTY
M100	48mm x 50m	36 Rolls / Box



M105

BLUE EXTERNAL WASHI TAPE



FEATURES

- **Clean lines** – Delivers sharp paint lines for accurate masking results.
- **Low-tack adhesion** – Safe for delicate and high-value finishes.
- **Clean removal** – Lifts away without residue, reducing rework.
- **Conformable** – Adheres to curved or irregular surfaces.
- **Dual-purpose** – Also secures surface protection materials in place.
- **UV-resistant** – Withstands exposure for up to 6 months.
- **Extended application time** – Performs for up to 24 weeks indoors and 12 weeks outdoors.

Fendwrap M105 Blue External Washi Tape delivers precision masking with clean lines and no residue. It offers extended application times, particularly outdoors, making it ideal for exposed conditions where durability matters.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
M105	48mm x 50m	36 Rolls / Box



YACHT MATTING



Available in two sizes, Fendwrap's Yacht Matting provides robust, reusable protection for high-traffic areas, such as decks and walkways.

In demanding marine environments, it plays a vital role in maintaining safety, cleanliness, and surface integrity — helping to prevent slips, minimise wear, and uphold a professional finish at every stage of the project.



YM500 | YM510

PROTECTIVE TRI-MATting



FEATURES

- **Heavy-duty** – Protects against impact and abrasion; ideal for high-traffic zones, including walkways and work areas.
- **Weatherproof** – Performs reliably in wet, exposed, and demanding environments.
- **Anti-slip** – Lattice design drains liquids to prevent pooling and maintain safer footing.
- **Reusable** – Durable construction supports repeated use across multiple applications.
- **Versatile** – Suitable for indoor and outdoor use.

Fendwrap Protective Tri-Matting is a heavy-duty, weatherproof floor protection solution with two size options: YM500 and YM510. Its lattice design drains liquid, maintaining an anti-slip surface in high-traffic, wet, and exposed environments.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
YM500	1.2m x 15m	6 Rolls / Pallet
YM510	60cm x 15m	12 Rolls / Pallet



PROTECTION FILMS


Fendwrap's protection film range is designed to safeguard a broad spectrum of onboard surfaces during construction, refit, and painting – including gelcoat, teak, glass, wood, high-gloss finishes, and polished metal. Some films in the range also perform in off-board areas and work zones, providing reliable coverage where foot traffic, tools, and equipment pose a risk – helping to protect the surrounding environment during tasks like painting and sanding.

With options tailored to specific surface types and environments, selecting the right film is straightforward. The range includes features such as flame retardancy and recycled content, supporting both safety and sustainability. Trusted by marine professionals, Fendwrap Protection Films deliver durability, ease of use, and consistent performance in demanding conditions.



107

PROTECTION FILM



DURABLE



SELF-
ADHESIVE



NO RESIDUE



WATERPROOF

FEATURES

- **Protective barrier** – Shields against debris, dust, overspray, and abrasion during prep, masking, and fit-out. Minimises damage and cleanup.
- **Extra-thick** – Enhanced durability for demanding environments and extended use.
- **Superior adhesive** – 25% more grip than other films. No lifting, no fuss.
- **Clean removal** – Peels away with no residue. No rework needed.
- **Waterproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Conformable** – Flexes to fit curved and irregular surfaces.
- **Easy to apply** – Speeds up prep. Repositionable if needed.

Fendwrap 107 Protection Film is an extra-thick, highly durable solution for surface protection during yacht maintenance, refit, and transport. It's trusted for tenting, scaffolding, walkways, off-board work areas, and bulkhead coverage.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
150100	60cm x 100m	4 Rolls / Pack (96 Rolls / Pallet)
150114	60cm x 50m	4 Rolls / Pack (96 Rolls / Pallet)



275

PROTECTION FILM (RECYCLED)



FEATURES

- **Protective barrier** – Shields against debris, dust, overspray, and abrasion during prep, masking, and fit-out. Minimises damage and cleanup.
- **Extra-thick** – Enhanced durability for demanding environments and extended use.
- **Superior adhesive** – 25% more grip than other films. No lifting, no fuss.
- **Clean removal** – Peels away with no residue. No rework needed.
- **Waterproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Conformable** – Flexes to fit curved and irregular surfaces.
- **Easy to apply** – Speeds up prep. Repositionable if needed.
- **30% recycled content** – Reduced environmental impact, same high performance.

Fendwrap 275 Protection Film offers the same durable performance as Fendwrap 107, with the added benefit of up to 30% recycled content for reduced environmental impact.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.




CODE	SIZE	QTY
150116	60cm x 100m	4 Rolls / Pack (96 Rolls / Pallet)
150117	60cm x 50m	4 Rolls / Pack (96 Rolls / Pallet)



128

PROTECTION FILM (GELCOAT)



DURABLE



SELF-
ADHESIVE



NO RESIDUE



WATERPROOF

FEATURES

- **Protective barrier** – Shields against debris, dust, overspray, and abrasion during prep, masking, and fit-out. Minimises damage and cleanup.
- **Extra-thick** – Enhanced durability for demanding environments and extended use.
- **Superior adhesive** – 25% more grip than other films. No lifting, no fuss.
- **Clean removal** – Peels away with no residue. No rework needed.
- **Waterproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Conformable** – Flexes to fit curved and irregular surfaces.
- **Easy to apply** – Speeds up prep. Repositionable if needed.

Fendwrap 128 Protection Film is a trusted heavy-duty protection solution. Ideal for gelcoat, painted surfaces, and delicate finishes, it shields against water, dust, scratches, and overspray in demanding marine environments.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
150200	60cm x 100m	4 Rolls / Pack (48 Rolls / Pallet)



149

PROTECTION FILM (FLOORS INC. WOOD + FURNITURE)



FEATURES

- **Protective barrier** – Shields against debris, dust, overspray, and abrasion during prep, masking, and fit-out. Minimises damage and cleanup.
- **Heavy-duty** – Durable protection for demanding conditions.
- **Superior adhesive** – 25% more grip than other films. No lifting, no fuss.
- **Clean removal** – Peels away with no residue. No rework needed.
- **Waterproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Conformable** – Flexes to fit curved and irregular surfaces.
- **Easy to apply** – Speeds up prep. Repositionable if needed.

Fendwrap 149 Protection Film is trusted to protect yachts and marine vessels during construction and refit. It safeguards teak, furniture, high-gloss surfaces, and other wood materials against water, dust, and scratches.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
150300	60cm x 100m	4 Rolls / Pack (48 Rolls / Pallet)



170

PROTECTION FILM (GLASS)



SELF-
ADHESIVE



NO RESIDUE



WATERPROOF

FEATURES

- **Protective barrier** – Shields against debris, dust, overspray, and abrasion during prep, masking, and fit-out. Minimises damage and cleanup.
- **Durable** – Reliable barrier against dust, moisture, and surface abrasion.
- **Superior adhesive** – 25% more grip than other films. No lifting, no fuss.
- **Clean removal** – Peels away with no residue. No rework needed.
- **Waterproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Conformable** – Flexes to fit curved and irregular surfaces.
- **Easy to apply** – Speeds up prep. Repositionable if needed.

Fendwrap 170 is designed to protect glass and other smooth surfaces during yacht construction, refit, and painting. It provides reliable protection against water, dust, dirt, overspray, and scratches.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
150400	60cm x 100m	4 Rolls / Pack (48 Rolls / Pallet)



212

PROTECTION FILM (POLISHED SURFACES)



SELF-
ADHESIVE



NO RESIDUE



WATERPROOF

FEATURES

- **Protective barrier** – Shields against debris, dust, overspray, and abrasion during prep, masking, and fit-out. Minimises damage and cleanup.
- **Heavy-duty** – Durable protection for demanding conditions.
- **Superior adhesive** – 25% more grip than other films. No lifting, no fuss.
- **Clean removal** – Peels away with no residue. No rework needed.
- **Waterproof** – Blocks spills, overspray, and moisture to protect surfaces.
- **Conformable** – Flexes to fit curved and irregular surfaces.
- **Easy to apply** – Speeds up prep. Repositionable if needed.

Fendwrap 212 Protection Film is engineered for superior protection during yacht construction, refit, and painting. It shields polished metal, teak, balustrades, walls, bulkheads, and glass from water, dust, and overspray.

We recommend testing our products on a non-critical area before full installation or application, as various factors beyond our control may affect the performance of our materials and adhesives.



CODE	SIZE	QTY
150500	60cm x 100m	4 Rolls / Pack (48 Rolls / Pallet)
150502	20cm x 100m	4 Rolls / Pack (48 Rolls / Pallet)
150504	11cm x 100m	4 Rolls / Pack (48 Rolls / Pallet)



TERMS & CONDITIONS

At Icon Protection EMEA Ltd, we're committed to delivering high-quality products with reliable service. Full terms and conditions apply and are available upon request or at [Fendwrap.com](https://fendwrap.com).

Please review the following key terms before placing an order:

Orders & Delivery

- Orders are confirmed only upon written acceptance.
- Delivery dates are approximate; delays may occur.
- Customised products cannot be cancelled once production begins.

Pricing & Payment

- Prices exclude VAT unless stated.
- Payment terms are outlined in your quotation; full payment is required before dispatch unless agreed otherwise.

Product Use & Testing Prior to Full Application or Installation

- To ensure optimal performance, all products must be tested in your specific environment prior to full application or installation.
- We strongly recommend testing on a non-critical area to assess suitability.
- Product performance may vary due to factors beyond our control, including surface type, temperature, humidity, and application method.
- It is the customer's responsibility to verify product compatibility with their intended use.

Liability

- Our liability is strictly limited to the value of the products supplied.
- We are not responsible for indirect or consequential losses such as downtime, damage, or loss of business.
- Please ensure proper storage and handling of goods upon delivery to maintain product integrity.

Additional Terms

- Title of goods passes only after full payment.
- Intellectual property in our products remains with Icon Protection EMEA Ltd.
- Full terms and conditions are available upon request or at [Fendwrap.com](https://fendwrap.com).



FENDWRAP[®]



FENDWRAP[®]

+44 (0)1358 720 888
sales.uk@iconprotection.co.uk
fendwrap.com



Every Job Starts With Us.[™]
Fendwrap[®] is a proud member of the
Icon Protection[™] family of brands.

NOVEMBER 2025 / V1 / E&OE / FENDWRAP BROCHURE
© 2025 ICON PROTECTION EMEA LTD. ALL RIGHTS RESERVED.

Images in this brochure are licensed for use by Icon Protection
EMEA Ltd. Reuse, extraction, or redistribution is not permitted.

Product images are illustrative and may not reflect compatible substrates or actual applications.